

RECEIVED

CORRES. CONTROL
INCOMING LTR NO.

2003 JAN 20 P 2 21

STATE OF COLORADO

00021 RF03

CORRESPONDENCE

DUE DATE
ACTION

Bill Owens, Governor
Douglas H. Benevento, Acting Executive Director

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S. Laboratory and Radiation Services Division
Denver, Colorado 80246-1530 8700 Lowry Blvd.
Phone: (303) 692-2000 Denver, Colorado 80230-6928
TDD line (303) 691-7700 (303) 692-3690
Located in Glendale, Colorado



Colorado Department
of Public Health
and Environment

DIST.	LTR	END
BOGNAR, E.	X	
CROCKETT, G.		
DECK, C.A.	X	
DEGENHART, K.		
DIETER, T. J.		
DIETER, E. S. E.		
FERRERA, D.W.	X	
FERRI, M.S.		
GERMAN, A. L.		
GIACOMINI, J. J.		
ISOM, J. H.		
LINDSAY, D. C.	X	
LONG, J.W.		
LYLE, J. L.		
MARTINEZ, L.A.	X	
NAGEL, R. E.	X	
NORTH, K.		
PARKER, A.M.	X	
POWERS, K.		
RODGERS, A. D.		
SHELTON, D.C.	X	
SPEARS, M.S.		
TRICE, K.D.		
TUOR, N.R.	X	
WILLIAMS, J. L.		

January 16, 2003

Mr. Richard DiSalvo, Acting Assistant Manager
Environment and Stewardship
U.S. Department of Energy, RFFO
10800 Highway 93, Unit A
Golden, CO 80403-8200

RE: Notification by Rocky Flats Environmental Technology Site (RFETS) to invoke the Rocky Flats Cleanup Agreement Standard Operating Protocol (RSOP) for Facility Component Removal, Size Reduction, and Decontamination Activities for Closure of Permitted Hazardous/Mixed Waste Treatment Unit 881.3B in Building 881

Dear Mr. DiSalvo:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division (the "Division") has reviewed the October 18, 2002 letter from DOE-RFFO and the accompanying notification package received on October 25, 2002, notifying us of your intent to utilize the RSOP for Facility Component Removal, Size Reduction, and Decontamination Activities (the "Component RSOP") for the closure of permitted Hazardous/Mixed Waste Treatment Unit 881.3B located in fume hoods 3, 4, and 5 in Room 267 of Building 881. The notification states that RFETS intends to close Unit 881.3B in Building 881 by application of the method "Unit Removal without On-site Treatment" from Section 5.1.3 of the Component RSOP.

We hereby formally agree that the activities described in the notification may proceed utilizing the Component RSOP, with the following condition. It is stated in your letter that, "This work will be conducted in accordance with the work control prepared by Environmental Chemical Corporation." The utilization of the approved Component RSOP includes the implementation of the work control process as provided therein. As such, the subcontractor's work control process must adhere to that described in the Component RSOP, or it must be shown to be equivalent. Any variation from the work control process as described and approved in the Component RSOP must be identified and appropriate rationale provided for our approval.

FOR CONTROL X
DMN RECORD X
ATS/130

Reviewed for Addressee
Corres. Control RFP

1/20/03 By

of Ltr. #

IF ORDER #

5400.1

Best Available Copy




ADMIN RECORD

RFETS Component RSOP Notification Unit 881.3B Closure
January 16, 2003
Page 2 of 2

The consultative process must be utilized to keep us informed of the decommissioning strategy, planning, and activities for this project. If you have any questions regarding this correspondence, please contact me at (303) 692-3367 or James Hindman at (303) 692-3345.

Sincerely,



Steven H. Gunderson
RFCA Project Coordinator

cc: S. MacLeod, DOE-RFFO
S. Tower, DOE-RFFO
S. Nesta, K-H RISS
D. Shelton, Kaiser-Hill
T. Rehder, EPA Region VIII
D. Miller, AGO
D. Krucke, CDPHE
J. Schieffelin, CDPHE
RFETS Administrative Records, Building T130G

2/2